

Cumulative Wireline Drawing

Viewpoint Information


OS Reference: E325141 N199780 Ground level: 331m (AOD)


Distance to nearest turbine: 1062m (T3) Bearing to centre of photograph: 168.4°

Angle of view: 90° (cylindrical) Principal distance: 500mm Paper size: 841 x 297 mm (half A1) Correct printed image size: 820 x 260mm

Camera: Canon EOS 6D Mark II Lens: 50mm Fixed Focal Lens Height: 1.5m Date & Time: 24/05/2023 13:40







Viewpoint Information

OS Reference: E325141 N199780 Ground level: 331m (AOD)

Distance to nearest turbine: 1062m (T3) Bearing to centre of photograph: 167.6°

Angle of view: 53.5° (planar) Principal distance: 500mm Paper size: 841 x 297 mm (half A1) Correct printed image size: 820 x 260mm

Camera: Canon EOS 6D Mark II Lens: 50mm Fixed Focal Lens Height: 1.5m Date & Time: 24/05/2023 13:40



(Sheet B) Figure 5.63 VIEWPOINT 27: Pantygasseg Drawing number P22-0725.100



Viewpoint Information

OS Reference: E325141 N199780 Ground level: 331m (AOD) Distance to nearest turbine: 1062m (T3) Bearing to centre of photograph: 167.6° Angle of view: 53.5° (planar) Principal distance: 500mm Paper size: 841 x 297 mm (half A1) Correct printed image size: 820 x 260mm Camera: Canon EOS 6D Mark II Lens: 50mm Fixed Focal Lens Height: 1.5m Date & Time: 24/05/2023 13:40



(Sheet C) Figure 5.63 VIEWPOINT 27: Pantygasseg Drawing number P22-0725.100